

Laboratorio di Enologia Enzo Michelet S.r.l. a socio unico
Via Vital, 96 – 31015 CONEGLIANO TV
C.F./P.IVA: 03520480264
tel: 0438 415202 fax: 0438 23344
laboratorio@studiomichelet.com
www.studiomichelet.com

Spett.le
**VIGNA SAN LORENZO S.S. DI DALLE CRODE
ALBERTO & C.**
Via Castagnè, 4
31029 VITTORIO VENETO TV

Report n° 11054/23

Sample: Vino / VINO BIANCO FRIZZANTE "COL TAMARIE"

Date of Submission: 02/10/2023

Product Lot: L.RAM108-22

Reception: Sampled and delivered by customer

Tests begin: 05/10/2023 Tests end: 05/10/2023

Compliance evaluation Not requested

Active substances amounts are not adjusted with recovery factor
The active ingredients investigated comply with Reg. CE 396/2005 as amended and supplemented

Customer performs sampling and provides sample's identification data. Customer is liable for sampling and sample's identification data.

Active substances analyzed

Active Substance	Amount	U.M.	Method	Active Substance	Amount	U.M.	Method
2,4-Dichlorophenoxyacetic acid (2,4-D)	< 0.003	mg/kg	UNI EN 15662:2018	Bifenazate-diazeno	< 0.003	mg/kg	UNI EN 15662:2018 *
2-Phenylphenol	< 0.003	mg/kg	UNI EN 15662:2018 *	Bifenazate (sum of bifenazate plus bifenazate-diazeno expressed as bifenazate)	< 0.003	mg/kg	UNI EN 15662:2018 *
2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)	< 0.003	mg/kg	UNI EN 15662:2018	Bifenazate	< 0.003	mg/kg	UNI EN 15662:2018 *
Abamectin	< 0.010	mg/kg	UNI EN 15662:2018	Bifenthrin (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018 *
Acephate	< 0.003	mg/kg	UNI EN 15662:2018	Bitertanol (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018
Acetamiprid	< 0.003	mg/kg	UNI EN 15662:2018	Boscalid	< 0.003	mg/kg	UNI EN 15662:2018
Acibenzolar-S-methyl	< 0.003	mg/kg	UNI EN 15662:2018	Bromoxynil	< 0.003	mg/kg	UNI EN 15662:2018
Acrinathrin	< 0.003	mg/kg	UNI EN 15662:2018	Bromuconazole (sum of diastereoisomers)	< 0.003	mg/kg	UNI EN 15662:2018
Alachlor	< 0.003	mg/kg	UNI EN 15662:2018	Bromuconazole, trans-	< 0.003	mg/kg	UNI EN 15662:2018
Aldicarb	< 0.003	mg/kg	UNI EN 15662:2018	Bromuconazole, cis-	< 0.003	mg/kg	UNI EN 15662:2018
Aldicarb, -sulfone and -sulfoxide (sum, expressed as aldicarb)	< 0.009	mg/kg	UNI EN 15662:2018 *	Bupirimate	< 0.003	mg/kg	UNI EN 15662:2018
Aldicarb-sulfone	< 0.003	mg/kg	UNI EN 15662:2018 *	Buprofezin	< 0.003	mg/kg	UNI EN 15662:2018
Aldicarb-sulfoxide	< 0.003	mg/kg	UNI EN 15662:2018 *	Butylate	< 0.003	mg/kg	UNI EN 15662:2018
Ametoctradin	< 0.003	mg/kg	UNI EN 15662:2018	Cadusafos	< 0.003	mg/kg	UNI EN 15662:2018
Amisulbrom	< 0.003	mg/kg	UNI EN 15662:2018	Carbaryl	< 0.003	mg/kg	UNI EN 15662:2018
Atrazine	< 0.003	mg/kg	UNI EN 15662:2018	Carbendazim	< 0.003	mg/kg	UNI EN 15662:2018
Azadirachtin	< 0.003	mg/kg	UNI EN 15662:2018	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	< 0.003	mg/kg	UNI EN 15662:2018 *
Azinphos-ethyl	< 0.003	mg/kg	UNI EN 15662:2018	Carbofuran and 3-hydroxy-carbofuran (sum, expressed as carbofuran)	< 0.006	mg/kg	UNI EN 15662:2018
Azinphos-methyl	< 0.003	mg/kg	UNI EN 15662:2018	3-Hydroxy-carbofuran	< 0.003	mg/kg	UNI EN 15662:2018
Azoxystrobin	< 0.003	mg/kg	UNI EN 15662:2018	Carbofuran	< 0.003	mg/kg	UNI EN 15662:2018
Benalaxyl (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	Carfentrazone-ethyl	< 0.003	mg/kg	UNI EN 15662:2018
Benfuracarb	< 0.003	mg/kg	UNI EN 15662:2018 *	Chlorantraniliprole	< 0.003	mg/kg	UNI EN 15662:2018
Benomyl	< 0.003	mg/kg	UNI EN 15662:2018 *	Chlorpropham	< 0.003	mg/kg	UNI EN 15662:2018 *
Bentazon	< 0.003	mg/kg	UNI EN 15662:2018 *	Chlorpyrifos-methyl	< 0.003	mg/kg	UNI EN 15662:2018
Benthiavalcicarb-isopropyl	< 0.003	mg/kg	UNI EN 15662:2018	Chlorpyrifos-ethyl	< 0.003	mg/kg	UNI EN 15662:2018
Benzoximate	< 0.003	mg/kg	UNI EN 15662:2018	Chlorsulfuron	< 0.003	mg/kg	UNI EN 15662:2018 *

Laboratorio di Enologia Enzo Michelet S.r.l. a socio unico
Via Vital, 96 - 31015 CONEGLIANO TV
C.F./P.IVA: 03520480264
tel: 0438 415202 fax: 0438 23344
laboratorio@studiomichelet.com
www.studiomichelet.com

Spett.le
**VIGNA SAN LORENZO S.S. DI DALLE CRODE
ALBERTO & C.**
Via Castagnè, 4
31029 VITTORIO VENETO TV

Report n° 11054/23

Chlorthiamid	< 0.003	mg/kg	UNI EN 15662:2018	*	Ethofumesate	< 0.003	mg/kg	UNI EN 15662:2018
Clethodim	< 0.003	mg/kg	UNI EN 15662:2018		Ethoprophos	< 0.003	mg/kg	UNI EN 15662:2018
Clethodim and sethoxydim (sum, expressed as sethoxydim)	< 0.006	mg/kg	UNI EN 15662:2018		Ethoxyquin	< 0.003	mg/kg	UNI EN 15662:2018
Clofentezine	< 0.003	mg/kg	UNI EN 15662:2018		Ethoxysulfuron	< 0.003	mg/kg	UNI EN 15662:2018
Clomazone	< 0.003	mg/kg	UNI EN 15662:2018		Etofenprox	< 0.003	mg/kg	UNI EN 15662:2018
Clothianidin	< 0.003	mg/kg	UNI EN 15662:2018		Etozazole	< 0.003	mg/kg	UNI EN 15662:2018
Coumaphos	< 0.003	mg/kg	UNI EN 15662:2018	*	Etrimfos	< 0.003	mg/kg	UNI EN 15662:2018
Cyanazine	< 0.003	mg/kg	UNI EN 15662:2018		Famoxadone	< 0.003	mg/kg	UNI EN 15662:2018
Cyantraniliprole	< 0.003	mg/kg	UNI EN 15662:2018		Fenamidone	< 0.003	mg/kg	UNI EN 15662:2018
Cyazofamid	< 0.003	mg/kg	UNI EN 15662:2018		Fenamiphos-sulfone	< 0.003	mg/kg	UNI EN 15662:2018
Cycloxydim	< 0.003	mg/kg	UNI EN 15662:2018		Fenamiphos-sulfoxide	< 0.003	mg/kg	UNI EN 15662:2018
Cyflufenamid (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018		Fenamiphos	< 0.003	mg/kg	UNI EN 15662:2018
Cyflumetofen	< 0.003	mg/kg	UNI EN 15662:2018	*	Fenamiphos, -sulfone and -sulfoxide (sum, expressed as fenamiphos)	< 0.009	mg/kg	UNI EN 15662:2018
Cymoxanil	< 0.003	mg/kg	UNI EN 15662:2018		Fenazaquin	< 0.003	mg/kg	UNI EN 15662:2018
Cypermethrin (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018		Fenbuconazole	< 0.003	mg/kg	UNI EN 15662:2018
Cyproconazole	< 0.003	mg/kg	UNI EN 15662:2018		Fenhexamid	< 0.003	mg/kg	UNI EN 15662:2018
Cyprodinil	< 0.003	mg/kg	UNI EN 15662:2018		Fenitrothion	< 0.003	mg/kg	UNI EN 15662:2018
Cyromazine	< 0.003	mg/kg	UNI EN 15662:2018		Fenoxanil	< 0.003	mg/kg	UNI EN 15662:2018
Deltamethrin	< 0.003	mg/kg	UNI EN 15662:2018	*	Fenoxycarb	< 0.003	mg/kg	UNI EN 15662:2018
Demeton-S-methyl-sulfone	< 0.003	mg/kg	UNI EN 15662:2018		Fenpropathrin	< 0.003	mg/kg	UNI EN 15662:2018
Desmedipham	< 0.003	mg/kg	UNI EN 15662:2018		Fenpropidin	< 0.003	mg/kg	UNI EN 15662:2018
Dichlorvos	< 0.003	mg/kg	UNI EN 15662:2018		Fenpropimorph (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018
Dicloran	< 0.010	mg/kg	UNI EN 15662:2018	*	Fenpyrazamine	< 0.003	mg/kg	UNI EN 15662:2018
Dicrotophos	< 0.003	mg/kg	UNI EN 15662:2018		Fenpyroximate	< 0.003	mg/kg	UNI EN 15662:2018
Diethofencarb	< 0.003	mg/kg	UNI EN 15662:2018		Fenthion, -sulfone and -sulfoxide (sum, expressed as fenthion)	< 0.009	mg/kg	UNI EN 15662:2018
Difenoconazole	< 0.003	mg/kg	UNI EN 15662:2018		Fenthion-sulfone	< 0.003	mg/kg	UNI EN 15662:2018
Diflufenican	< 0.003	mg/kg	UNI EN 15662:2018		Fenthion-sulfoxide	< 0.003	mg/kg	UNI EN 15662:2018
Dimethenamid (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018		Fenthion	< 0.003	mg/kg	UNI EN 15662:2018
Dimethoate	< 0.003	mg/kg	UNI EN 15662:2018		Fenvalerate (sum of isomers, including esfenvalerate)	< 0.003	mg/kg	UNI EN 15662:2018
Dimethomorph (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018		Flazasulfuron	< 0.003	mg/kg	UNI EN 15662:2018
Dinoseb	< 0.003	mg/kg	UNI EN 15662:2018		Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	< 0.003	mg/kg	UNI EN 15662:2018
Dinotefuran	< 0.003	mg/kg	UNI EN 15662:2018		Flonicamid	< 0.003	mg/kg	UNI EN 15662:2018
Dinoterb	< 0.003	mg/kg	UNI EN 15662:2018		Florasulam	< 0.003	mg/kg	UNI EN 15662:2018
Ditalimfos	< 0.003	mg/kg	UNI EN 15662:2018		Fluazifop-P-butyl	< 0.003	mg/kg	UNI EN 15662:2018
Diuron	< 0.003	mg/kg	UNI EN 15662:2018		Fluazinam	< 0.003	mg/kg	UNI EN 15662:2018
Dodine	< 0.003	mg/kg	UNI EN 15662:2018		Fludioxonil	< 0.003	mg/kg	UNI EN 15662:2018
Emamectin benzoate B1a, expressed as emamectin	< 0.003	mg/kg	UNI EN 15662:2018		Flufenacet	< 0.003	mg/kg	UNI EN 15662:2018
Epoxiconazole	< 0.003	mg/kg	UNI EN 15662:2018		Flufenoxuron	< 0.003	mg/kg	UNI EN 15662:2018
Ethion	< 0.003	mg/kg	UNI EN 15662:2018	*	Fluometuron	< 0.003	mg/kg	UNI EN 15662:2018
Ethirimol	< 0.003	mg/kg	UNI EN 15662:2018		Fluopicolide	< 0.003	mg/kg	UNI EN 15662:2018

Laboratorio di Enologia Enzo Michelet S.r.l. a socio unico
Via Vital, 96 - 31015 CONEGLIANO TV
C.F./P.IVA: 03520480264
tel: 0438 415202 fax: 0438 23344
laboratorio@studiomichelet.com
www.studiomichelet.com

Spett.le
VIGNA SAN LORENZO S.S. DI DALLE CRODE
ALBERTO & C.
Via Castagnè, 4
31029 VITTORIO VENETO TV

Report n° 11054/23

Fluopyram	< 0.003	mg/kg	UNI EN 15662:2018	MCPB, 4-(4-Chloro-2-methylphenoxy)butanoic acid	< 0.010	mg/kg	UNI EN 15662:2018	*
Flupyradifurone	< 0.003	mg/kg	UNI EN 15662:2018	Mecarbam	< 0.003	mg/kg	UNI EN 15662:2018	
Fluquinconazole	< 0.003	mg/kg	UNI EN 15662:2018	Mepanipyrim	< 0.003	mg/kg	UNI EN 15662:2018	
Fluroxypyr	< 0.010	mg/kg	UNI EN 15662:2018	Mepronil	< 0.003	mg/kg	UNI EN 15662:2018	
Flusilazole	< 0.003	mg/kg	UNI EN 15662:2018	Meptyldinocap (2,4-DNOP expressed as meptyldinocap)	< 0.003	mg/kg	UNI EN 15662:2018	*
Flutriafol	< 0.003	mg/kg	UNI EN 15662:2018	Metalaxyl and metalaxyl-M (sum)	< 0.003	mg/kg	UNI EN 15662:2018	
Fluxapyroxad	< 0.003	mg/kg	UNI EN 15662:2018	Metamitron	< 0.003	mg/kg	UNI EN 15662:2018	
Folpet and phthalimide (sum, expressed as folpet)	< 0.006	mg/kg	UNI EN 15662:2018	Metazachlor	< 0.003	mg/kg	UNI EN 15662:2018	
Folpet	< 0.003	mg/kg	UNI EN 15662:2018	Metconazole (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Fomesafen	< 0.003	mg/kg	UNI EN 15662:2018	Methamidophos	< 0.003	mg/kg	UNI EN 15662:2018	
Fonofos	< 0.003	mg/kg	UNI EN 15662:2018	Methiocarb, -sulphone and -sulphoxide (sum, expressed as methiocarb)	< 0.009	mg/kg	UNI EN 15662:2018	
Forchlorfenuron	< 0.003	mg/kg	UNI EN 15662:2018	Methiocarb	< 0.003	mg/kg	UNI EN 15662:2018	
Formetanate (sum of formetanate and its salts expressed as formetanate hydrochloride)	< 0.003	mg/kg	UNI EN 15662:2018	Methiocarb-sulfone	< 0.003	mg/kg	UNI EN 15662:2018	
Furathiocarb	< 0.003	mg/kg	UNI EN 15662:2018	Methiocarb-sulphoxide	< 0.003	mg/kg	UNI EN 15662:2018	
Gibberellic acid	< 0.003	mg/kg	UNI EN 15662:2018	Methomyl	< 0.003	mg/kg	UNI EN 15662:2018	*
Haloxifop, its esters, salts and conjugates (sum, expressed as haloxifop)	< 0.003	mg/kg	UNI EN 15662:2018	Methoxyfenozide	< 0.003	mg/kg	UNI EN 15662:2018	
Haloxifop-methyl	< 0.003	mg/kg	UNI EN 15662:2018	Metolachlor (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Haloxifop	< 0.003	mg/kg	UNI EN 15662:2018	Metrafenone	< 0.003	mg/kg	UNI EN 15662:2018	
Heptenophos	< 0.003	mg/kg	UNI EN 15662:2018	Metribuzin	< 0.003	mg/kg	UNI EN 15662:2018	
Hexythiazox	< 0.003	mg/kg	UNI EN 15662:2018	Mevinphos (sum of E- and Z-isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Imazalil (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	Monolinuron	< 0.003	mg/kg	UNI EN 15662:2018	
Imidacloprid	< 0.003	mg/kg	UNI EN 15662:2018	Monuron	< 0.003	mg/kg	UNI EN 15662:2018	
Indoxacarb (sum of enantiomers)	< 0.003	mg/kg	UNI EN 15662:2018	Myclobutanil (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Ioxynil	< 0.003	mg/kg	UNI EN 15662:2018	Napropamide (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Iprodione	< 0.003	mg/kg	UNI EN 15662:2018	Novaluron	< 0.003	mg/kg	UNI EN 15662:2018	*
Iprovalicarb	< 0.003	mg/kg	UNI EN 15662:2018	Nuarimol	< 0.003	mg/kg	UNI EN 15662:2018	
Isfetamid	< 0.003	mg/kg	UNI EN 15662:2018	Omethoate	< 0.003	mg/kg	UNI EN 15662:2018	
Isoproturon	< 0.003	mg/kg	UNI EN 15662:2018	Oryzalin	< 0.010	mg/kg	UNI EN 15662:2018	
Isopyrazam	< 0.003	mg/kg	UNI EN 15662:2018	Oxadiazon	< 0.003	mg/kg	UNI EN 15662:2018	
Isoxaben	< 0.003	mg/kg	UNI EN 15662:2018	Oxadixyl	< 0.003	mg/kg	UNI EN 15662:2018	*
Kresoxim-methyl	< 0.003	mg/kg	UNI EN 15662:2018	Oxamyl	< 0.003	mg/kg	UNI EN 15662:2018	
Lactofen	< 0.003	mg/kg	UNI EN 15662:2018	Oxathiapiprolin	< 0.003	mg/kg	UNI EN 15662:2018	
Lambda-cyhalothrin (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	Oxycarboxin	< 0.003	mg/kg	UNI EN 15662:2018	
Linuron	< 0.003	mg/kg	UNI EN 15662:2018	Oxydemeton-methyl	< 0.003	mg/kg	UNI EN 15662:2018	
Lufenuron (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	Oxydemeton-methyl and demeton-S-methylsulphone (sum, expressed as oxydemeton-methyl)	< 0.003	mg/kg	UNI EN 15662:2018	
Malaoxon	< 0.003	mg/kg	UNI EN 15662:2018	Oxyfluorfen	< 0.003	mg/kg	UNI EN 15662:2018	
Malathion and malaoxon (sum, expressed as malathion)	< 0.006	mg/kg	UNI EN 15662:2018	Paclbutrazol (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Malathion	< 0.003	mg/kg	UNI EN 15662:2018	Paraoxon-ethyl	< 0.003	mg/kg	UNI EN 15662:2018	
Mandipropamid (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	Paraoxon-methyl	< 0.003	mg/kg	UNI EN 15662:2018	
MCPA, (4-Chloro-2-methylphenoxy)acetic acid	< 0.003	mg/kg	UNI EN 15662:2018	Parathion-ethyl	< 0.003	mg/kg	UNI EN 15662:2018	*

Laboratorio di Enologia Enzo Michelet S.r.l. a socio unico
Via Vital, 96 - 31015 CONEGLIANO TV
C.F./P.IVA: 03520480264
tel: 0438 415202 fax: 0438 23344
laboratorio@studiomichelet.com
www.studiomichelet.com

Spett.le
**VIGNA SAN LORENZO S.S. DI DALLE CRODE
ALBERTO & C.**
Via Castagnè, 4
31029 VITTORIO VENETO TV

Report n° 11054/23

Parathion-methyl	< 0.003	mg/kg	UNI EN 15662:2018	*	Pyriofenone	< 0.003	mg/kg	UNI EN 15662:2018
Parathion-methyl and paraoxon-methyl (sum, expressed as parathion-methyl)	< 0.006	mg/kg	UNI EN 15662:2018	*	Pyriproxyfen	< 0.003	mg/kg	UNI EN 15662:2018
Penconazole (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018		Quinalphos	< 0.003	mg/kg	UNI EN 15662:2018
Pencycuron	< 0.003	mg/kg	UNI EN 15662:2018		Quinoxifen	< 0.003	mg/kg	UNI EN 15662:2018
Pendimethalin	< 0.003	mg/kg	UNI EN 15662:2018		Quizalofop ethyl	< 0.003	mg/kg	UNI EN 15662:2018
Penoxsulam	< 0.003	mg/kg	UNI EN 15662:2018		Resmethrin (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018
Permethrin (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018		Rimsulfuron	< 0.003	mg/kg	UNI EN 15662:2018
Phorate	< 0.010	mg/kg	UNI EN 15662:2018		Rotenone	< 0.003	mg/kg	UNI EN 15662:2018
Phosalone	< 0.003	mg/kg	UNI EN 15662:2018		Sebuthylazine	< 0.003	mg/kg	UNI EN 15662:2018
Phosmet	< 0.003	mg/kg	UNI EN 15662:2018		Sethoxydim	< 0.003	mg/kg	UNI EN 15662:2018
Phosphamidon	< 0.003	mg/kg	UNI EN 15662:2018		Spinetoram	< 0.003	mg/kg	UNI EN 15662:2018
Phoxim	< 0.003	mg/kg	UNI EN 15662:2018		Spinosad (sum of A and D)	< 0.006	mg/kg	UNI EN 15662:2018
Phthalimide (folpet metabolite)	< 0.003	mg/kg	UNI EN 15662:2018		Spinosad A	< 0.003	mg/kg	UNI EN 15662:2018
Picoxystrobin	< 0.003	mg/kg	UNI EN 15662:2018		Spinosad D	< 0.003	mg/kg	UNI EN 15662:2018
Piperonyl butoxide	< 0.003	mg/kg	UNI EN 15662:2018		Spirodiclofen	< 0.003	mg/kg	UNI EN 15662:2018
Pirimicarb	< 0.003	mg/kg	UNI EN 15662:2018		Spiromesifen	< 0.003	mg/kg	UNI EN 15662:2018
Pirimiphos-ethyl	< 0.010	mg/kg	UNI EN 15662:2018		Spirotetramat	< 0.003	mg/kg	UNI EN 15662:2018
Pirimiphos-methyl	< 0.003	mg/kg	UNI EN 15662:2018		Spiroxamine (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018
Prochloraz	< 0.003	mg/kg	UNI EN 15662:2018		Sulfotep	< 0.003	mg/kg	UNI EN 15662:2018
Procymidone	< 0.003	mg/kg	UNI EN 15662:2018	*	Sulfoxaflor	< 0.003	mg/kg	UNI EN 15662:2018
Profenofos	< 0.003	mg/kg	UNI EN 15662:2018		Tau-Fluvalinate	< 0.003	mg/kg	UNI EN 15662:2018
Propamocarb	< 0.003	mg/kg	UNI EN 15662:2018	*	Tebuconazole	< 0.003	mg/kg	UNI EN 15662:2018
Propanil	< 0.003	mg/kg	UNI EN 15662:2018		Tebufenozide	< 0.003	mg/kg	UNI EN 15662:2018
Propaquizafop	< 0.003	mg/kg	UNI EN 15662:2018		Tebufenpyrad	< 0.003	mg/kg	UNI EN 15662:2018
Propargite	< 0.003	mg/kg	UNI EN 15662:2018		Tepraloxymid	< 0.003	mg/kg	UNI EN 15662:2018
Propham	< 0.003	mg/kg	UNI EN 15662:2018	*	Terbacil	< 0.003	mg/kg	UNI EN 15662:2018
Propiconazole	< 0.003	mg/kg	UNI EN 15662:2018		Terbufos	< 0.003	mg/kg	UNI EN 15662:2018
Propisochlor	< 0.003	mg/kg	UNI EN 15662:2018		Terbutylazine	< 0.003	mg/kg	UNI EN 15662:2018
Propoxur	< 0.003	mg/kg	UNI EN 15662:2018		Tetrachlorvinphos	< 0.003	mg/kg	UNI EN 15662:2018
Propyzamide	< 0.003	mg/kg	UNI EN 15662:2018		Tetraconazole	< 0.003	mg/kg	UNI EN 15662:2018
Proquinazid	< 0.003	mg/kg	UNI EN 15662:2018		Tetramethrin	< 0.003	mg/kg	UNI EN 15662:2018
Pymetrozine	< 0.010	mg/kg	UNI EN 15662:2018	*	TFNA (4-trifluoromethyl nicotinic acid)	< 0.020	mg/kg	UNI EN 15662:2018
Pyraclostrobin	< 0.003	mg/kg	UNI EN 15662:2018		TFNG (N-(4-trifluoromethyl nicotinic acid)glycine)	< 0.020	mg/kg	UNI EN 15662:2018
Pyraflufen ethyl	< 0.003	mg/kg	UNI EN 15662:2018		Thiabendazole	< 0.003	mg/kg	UNI EN 15662:2018
Pyrazophos	< 0.003	mg/kg	UNI EN 15662:2018		Thiacloprid	< 0.003	mg/kg	UNI EN 15662:2018
Pyrethrins	< 0.003	mg/kg	UNI EN 15662:2018		Thiamethoxam	< 0.003	mg/kg	UNI EN 15662:2018
Pyridaben	< 0.003	mg/kg	UNI EN 15662:2018		Thiobencarb	< 0.003	mg/kg	UNI EN 15662:2018
Pyridaphenthion	< 0.003	mg/kg	UNI EN 15662:2018		Thiodicarb	< 0.003	mg/kg	UNI EN 15662:2018
Pyrifenox	< 0.003	mg/kg	UNI EN 15662:2018		Thiophanate-methyl	< 0.003	mg/kg	UNI EN 15662:2018
Pyrimethanil	< 0.003	mg/kg	UNI EN 15662:2018		Tolclofos methyl	< 0.003	mg/kg	UNI EN 15662:2018

Laboratorio di Enologia Enzo Michelet S.r.l. a socio unico
Via Vital, 96 - 31015 CONEGLIANO TV
C.F./P.IVA: 03520480264
tel: 0438 415202 fax: 0438 23344
laboratorio@studiomichelet.com
www.studiomichelet.com

Spett.le
**VIGNA SAN LORENZO S.S. DI DALLE CRODE
ALBERTO & C.**
Via Castagnè, 4
31029 VITTORIO VENETO TV

Report n° 11054/23

Tralkoxydim	< 0.003	mg/kg	UNI EN 15662:2018	*
Triadimefon	< 0.003	mg/kg	UNI EN 15662:2018	
Triadimenol (sum of isomers)	< 0.003	mg/kg	UNI EN 15662:2018	
Triazophos	< 0.003	mg/kg	UNI EN 15662:2018	
Trichlorfon	< 0.003	mg/kg	UNI EN 15662:2018	
Triclopyr	< 0.010	mg/kg	UNI EN 15662:2018	*
Tricyclazole	< 0.003	mg/kg	UNI EN 15662:2018	
Tridemorph	< 0.003	mg/kg	UNI EN 15662:2018	
Trifloxystrobin	< 0.003	mg/kg	UNI EN 15662:2018	
Triflumuron	< 0.003	mg/kg	UNI EN 15662:2018	
Trifluralin	< 0.003	mg/kg	UNI EN 15662:2018	*
Valifenalate	< 0.003	mg/kg	UNI EN 15662:2018	
Vamidothion	< 0.003	mg/kg	UNI EN 15662:2018	
Vinclozolin	< 0.003	mg/kg	UNI EN 15662:2018	*
Zoxamide	< 0.003	mg/kg	UNI EN 15662:2018	

* Non accredited by ACCREDIA

Issue date
20/10/2023



The Laboratory Manager
Enol. Enzo Michelet



Document digitally signed by laboratory manager, in accordance to D.Lgs n.82 del 07.03.2005 and subsequent amendments. Any printed copies of this digital document have no legal validity.

The sample is eligible for test required.

Uncertainty extended with coverage factor K=2 and with confidence level of 95%.

This report cannot be reproduced in part without written authorization of Laboratorio di Enologia Enzo Michelet S.r.l.

Report results refers exclusively to the sample analysed as delivered by the customer.

Laboratory complies with UNI EN ISO 9001:2015

Rapporto di prova M 09035 Rev. 2 del 30/06/20